

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 SDS Reference Number: EP01945

SDS Reference Number: FP01945
Issue date: 21/09/2018 Revision date: 05/06/2024 Supersedes version of: 09/11/2023 Version: 3.1

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form : Substance
Trade name : Dymalink® 719

Chemical name : 2,6-di-tert-butyl-alpha-dimethylamino-p-cresol

EC-No. : 201-816-1 CAS-No. : 88-27-7

REACH registration No. : 01-2119975433-32
Product group : Trade product

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### Relevant identified uses

---

Use of the substance/mixture : Rubber coagent

# 1.3. Details of the supplier of the safety data sheet

# Supplier

Resin Solutions, LLC
Resin Solutions Italia Srl
665 Stockton Drive, Suite 100
Via Baiona 107
Exton, PA 19341
48123 RAVENNA

USA ITALY

T +1-484-284-8989 T +39 0544 459022

product.stewardship@resinsolutions.com, product.stewardship@resinsolutions.com,

https://www.resinsolutions.com/

# 1.4. Emergency telephone number

Emergency number : Emergency call Carechem 24 International :

for English speaking countries: +44 (0) 1235 239 670
for Europe (in local languages): + 33 1 49 00 00 49
for Africa and Middle East: + 44 (0) 1235 239 671

**European Representative** 

• for China: 400 120 6011

• for Asia Pacific (Hong-Kong, Singapore, Taiwan, Philippines, India, Vietnam, Sri Lanka,

Japan, Korea, Malaysia, Indonesia, Thailand):

+ 65 3158 1074

Country/Area	Organisation/Company	Address	Emergency number	Comment
Ireland	National Poisons Information Centre Beaumont Hospital	PO Box 1297 Beaumont Road 9	+353 1 809 2566 (Healthcare professionals- 24/7) +353 1 809 2166 (public, 8am - 10pm, 7/7)	
United Kingdom	National Poisons Emergency number		08 45 46 47	

# **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

# Classification according to Regulation (EC) No. 1272/2008 [CLP]

Acute toxicity (oral), Category 4 H302
Serious eye damage/eye irritation, Category 2 H319
Skin sensitisation, category 1B H317
Hazardous to the aquatic environment – Acute Hazard, H400
Category 1

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Hazardous to the aquatic environment - Chronic Hazard,

H410

Category 1

Full text of H- and EUH-statements: see section 16

#### Adverse physicochemical, human health and environmental effects

Harmful if swallowed. Causes serious eye irritation. May cause an allergic skin reaction. Very toxic to aquatic life with long lasting effects.

#### 2.2. Label elements

# Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



GHS07



Signal word (CLP) : Warning

Hazard statements (CLP) : H302 - Harmful if swallowed.

H317 - May cause an allergic skin reaction. H319 - Causes serious eye irritation.

H410 - Very toxic to aquatic life with long lasting effects.

Precautionary statements (CLP) : P261 - Avoid breathing dust.

P264 - Wash hands, forearms and face thoroughly after handling.

P273 - Avoid release to the environment.

P280 - Wear protective gloves, protective clothing/eye protection/face protection.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P333+P313 - If skin irritation or rash occurs: Get medical advice/attention. P337+P313 - If eye irritation persists: Get medical advice/attention. P362+P364 - Take off contaminated clothing and wash it before reuse.

P391 - Collect spillage.

P501 - Dispose of contents and container to hazardous or special waste collection point, in

accordance with local, regional, national and/or international regulation.

## 2.3. Other hazards

Other hazards which do not result in classification

: Combustible Dust. Dust may form explosive mixture in air. Dust from this product may cause respiratory irritation. Thermal decomposition products are produced at elevated temperatures and these may be flammable.

Contains no PBT and/or vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

The substance is not included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605

# **SECTION 3: Composition/information on ingredients**

# 3.1. Substances

 Name
 : Dymalink® 719

 CAS-No.
 : 88-27-7

 EC-No.
 : 201-816-1

# **SECTION 4: First aid measures**

## 4.1. Description of first aid measures

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.

First-aid measures after skin contact : Wash immediately with plenty of soap and water. Remove immediately contaminated

clothing. Get immediate medical advice/attention.

05/06/2024 (Revision date) EN (English) 2/10

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

First-aid measures after eye contact : Immediately flush eyes thoroughly with water for at least 15 minutes. Remove contact

lenses, if present and easy to do. Continue rinsing. Immediately call a POISON

CENTER/doctor.

First-aid measures after ingestion : Rinse mouth out with water. If necessary seek medical advice.

#### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after inhalation : Dust from this product may cause respiratory irritation.

Symptoms/effects after skin contact : May cause an allergic skin reaction. Symptoms/effects after eye contact : Causes serious eye irritation.

## 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

# **SECTION 5: Firefighting measures**

# 5.1. Extinguishing media

Suitable extinguishing media : Water spray or fog. Carbon dioxide. Foam. Dry chemical. Dry powder. Sand.

Unsuitable extinguishing media : Use of heavy stream of water may spread fire.

#### 5.2. Special hazards arising from the substance or mixture

Fire hazard : Vapors generated from overheating/melting/decomposition may be flammable and may

cause fire/explosion if source of ignition is present.

Explosion hazard : Potential dust explosion hazard. When dust becomes airborne and is exposed to an ignition

source, sufficient combustible/flammable dust may exist to burn in the open or explode if confined. Local exhaust and general room ventilation are both essential to prevent

accumulation of flammable vapour or dust mixtures.

Hazardous decomposition products in case of fire : Carbon oxides (CO, CO2). Metallic oxides. Metallic peroxides. Toxic fumes.

# 5.3. Advice for firefighters

Firefighting instructions : Fight fire from safe distance and protected location. Use water spray or fog for cooling exposed containers. Avoid raising powdered materials into airborne dust, creating an explosion hazard. Apply aqueous extinguishing media carefully to prevent frothing/steam

explosion hazard. Apply aqueous extinguishing media carefully to prevent frothing/steam explosion. Exercise caution when fighting any chemical fire. Prevent fire fighting water from

entering the environment.

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Complete protective

clothing. Self-contained breathing apparatus.

#### **SECTION 6: Accidental release measures**

# 6.1. Personal precautions, protective equipment and emergency procedures

General measures : No flames, no sparks. Eliminate all sources of ignition.

For non-emergency personnel

Emergency procedures for non-emergency personnel

: Ensure adequate ventilation. Avoid contact with skin, eyes and clothing. Avoid breathing dust. Remove ignition sources. Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal

protection".

#### For emergency responders

Emergency procedures for emergency responders : No additional requirement.

## **6.2. Environmental precautions**

Avoid release to the environment. Notify authorities if product enters sewers or public waters.

## 6.3. Methods and material for containment and cleaning up

For containment : Sweep up or vacuum up the product. Avoid creating or spreading dust.

Methods for cleaning up : Dispose of materials or solid residues at an authorized site.

05/06/2024 (Revision date) EN (English) 3/10

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

#### 6.4. Reference to other sections

See section 8. Exposure controls/personal protection.

# **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

Precautions for safe handling : Avoid all contact with skin, eyes, or clothing. Avoid breathing dust. Wear personal protective

equipment. Avoid raising powdered material due to explosion hazard. Prevent the build-up of electrostatic charge. Use only non-sparking tools. Handling this product may result in electrostatic accumulation. Use proper grounding procedures. The plastic packaging film used to secure bags of material on pallets can also develop static electricity -- remove

packaging film in an area free from ignitable vapors/dust.

Hygiene measures : Do not eat, drink or smoke when using this product. Always wash hands after handling the

product.

# 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep container tightly closed in a cool, well-ventilated place. Store in a dry, cool area. Store

at room temperature. Protect from moisture. May polymerize on exposure to temperature

rise. Keep away from sources of ignition.

Incompatible materials : Strong oxidizing agents. Strong reducing agents.

Storage temperature : 10 - 32 °C

#### 7.3. Specific end use(s)

No additional information available

#### **SECTION 8: Exposure controls/personal protection**

## 8.1. Control parameters

National occupational exposure and biological limit values

2,6-di-tert-butyl-alpha-dimethylamino-p-cresol (88-27-7)	
USA - ACGIH - Occupational Exposure Limits	
ACGIH OEL TWA	10 mg/m³ (inhalable dust) 3 mg/m³ (respirable dust)
Remark (ACGIH)	Particulates, not otherwise classified

# 8.2. Exposure controls

#### **Appropriate engineering controls**

# Appropriate engineering controls:

Ensure good ventilation of the work station. Safety shower. Eye fountain.

#### Personal protection equipment

#### Personal protective equipment symbol(s):





#### Eye and face protection

# Eye protection:

Chemical goggles or face shield

#### **Skin protection**

#### Skin and body protection:

Wear suitable protective clothing

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

#### Hand protection:

Protective gloves. Do not use natural rubber gloves. Product used with solvents: wear thick (> 0.5 mm) nitrile gloves. Replace gloves immediately when torn or any change in appearance (dimension, colour, flexibility, etc) is noticed

## **Respiratory protection**

#### Respiratory protection:

Appropriate dust or mist respirator should be used if airborne particles are generated when handling this material

#### **SECTION 9: Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties

Solid Physical state Colour : light yellow. : Powder. Crystals. Appearance Odour : Slight amine. Odour threshold : Not available : ~ 94 °C Melting point Freezing point : Not available Initial boiling point and boiling range : Not available Flammability : Non flammable.

Explosive properties : Dust may form explosive mixture in air. Particle size: < 1680 microns (~ 90%). Explosion

Index, Kst (bar. m/s): -. Max. Explosive Pressure (Pmax), bar: -

Lower explosion limit : Not applicable Upper explosion limit : Not applicable Flash point : Not applicable : Not applicable Auto-ignition temperature Decomposition temperature : Not available : Not applicable pН pH solution : Not available Viscosity, kinematic : Not applicable Viscosity, dynamic : Not applicable

Solubility : Water: Slightly soluble

Partition coefficient n-octanol/water (Log Kow) : 4.24 (estimated value) (Data : ECHA)

Vapour pressure :  $\sim 0.05$  mm Hg @ 20 °C

Vapour pressure at 50°C : Not available
Density : Not available
Relative density : 1.026
Relative vapour density at 20°C : Not applicable
Particle size : Not available

#### 9.2. Other information

No additional information available

## **SECTION 10: Stability and reactivity**

# 10.1. Reactivity

No dangerous reactions known under normal conditions of use.

#### 10.2. Chemical stability

Stable under use and storage conditions as recommended in section 7.

# 10.3. Possibility of hazardous reactions

May ignite spontaneously if exposed to air. Dust may form explosive mixture in air. May polymerize. To avoid thermal decomposition, do not overheat. Thermal decomposition products are produced at elevated temperatures and these may be flammable.

# 10.4. Conditions to avoid

Avoid the build-up of electrostatic charge. Avoid dust formation. High temperature. Direct sunlight. Sparks. Open flame.

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

# 10.5. Incompatible materials

Strong oxidizing agents. Strong reducing agents.

#### 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

# **SECTION 11: Toxicological information**

## 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Harmful if swallowed.

Acute toxicity (dermal) : Not classified (Based on available data, the classification criteria are not met)

Acute toxicity (inhalation) : Not classified (Lack of data)

riodic toxioity (iliidation)	The diagonies (Each of Gula)	
2,6-di-tert-butyl-alpha-dimethylamino-p-cresol (88-27-7)		
LD50 oral rat	461 mg/kg bodyweight (OECD 401 method)	
LD50 dermal rabbit	> 4000 mg/kg bodyweight (OECD 402 method)	
	Not classified (Lack of data) pH: Not applicable	

Serious eye damage/irritation : Causes serious eye irritation.

pH: Not applicable

Respiratory or skin sensitisation : May cause an allergic skin reaction.

Germ cell mutagenicity : Not classified (Lack of data)
Carcinogenicity : Not classified (Lack of data)
Reproductive toxicity : Not classified (Lack of data)
STOT-single exposure : Not classified (Lack of data)
STOT-repeated exposure : Not classified (Lack of data)

Aspiration hazard : Not classified (Technical impossibility to obtain the data)

2,6-di-tert-butyl-alpha-dimethylamino-p-cresol (88-27-7)		
	Viscosity, kinematic	Not applicable

# 11.2. Information on other hazards

#### **Endocrine disrupting properties**

Adverse health effects caused by endocrine disrupting properties

: The substance is not included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605

Other information

Other information : Likely routes of exposure: ingestion, inhalation, skin and eye

# **SECTION 12: Ecological information**

# 12.1. Toxicity

Ecology - general : Do not allow product to spread into the environment.

Hazardous to the aquatic environment, short–term : Very toxic to aquatic life.

(acute)

Hazardous to the aquatic environment, long-term : Very toxic to aquatic life with long lasting effects.

(chronic)

# 12.2. Persistence and degradability

# 2,6-di-tert-butyl-alpha-dimethylamino-p-cresol (88-27-7) Persistence and degradability Rapidly degradable

05/06/2024 (Revision date) EN (English) 6/10

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

# 12.3. Bioaccumulative potential

# 2,6-di-tert-butyl-alpha-dimethylamino-p-cresol (88-27-7)

Partition coefficient n-octanol/water (Log Kow) 4.24 (estimated value) (Data : ECHA)

## 12.4. Mobility in soil

No additional information available

# 12.5. Results of PBT and vPvB assessment

No additional information available

#### 12.6. Endocrine disrupting properties

Adverse effects on the environment caused by endocrine disrupting properties

: The substance is not included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

#### 12.7. Other adverse effects

No additional information available

# **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

Waste treatment methods

: Dispose of in accordance with the European Directives on waste and hazardous waste. Empty containers should be taken for recycling, recovery or waste in accordance with local regulation.

Product/Packaging disposal recommendations

: Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

European List of Waste (LoW, EC 2000/532)

 According to the European Waste Catalogue, Waste Codes are not product specific, but application specific

Waste codes should be assigned by the user based on the aplication for which the product was used

# **SECTION 14: Transport information**

In accordance with ADR / IMDG / IATA / ADN / RID

ADR	IMDG	IATA	ADN	RID	
14.1. UN number or ID n	14.1. UN number or ID number				
UN 3077	UN 3077	UN 3077	UN 3077	UN 3077	
14.2. UN proper shippin	g name				
ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.	Environmentally hazardous substance, solid, n.o.s.	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.	
Transport document descr	Transport document description				
UN 3077 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (2,6-di-tert-butyl- alpha-dimethylamino-p- cresol), 9, III, (-)	UN 3077 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (2,6-di-tert-butyl- alpha-dimethylamino-p- cresol), 9, III, MARINE POLLUTANT	UN 3077 Environmentally hazardous substance, solid, n.o.s. (2,6-di-tert-butylalpha-dimethylamino-pcresol), 9, III	UN 3077 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (2,6-di-tert-butyl- alpha-dimethylamino-p- cresol), 9, III	UN 3077 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (2,6-di-tert-butyl- alpha-dimethylamino-p- cresol), 9, III	

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

ADR	IMDG	IATA	ADN	RID	
14.3. Transport hazard o	14.3. Transport hazard class(es)				
9	9	9	9	9	
**************************************	**************************************	**************************************	**************************************	3	
14.4. Packing group					
III	III	III	III	III	
14.5. Environmental hazards					
Dangerous for the environment: Yes	Dangerous for the environment: Yes Marine Pollutant: Yes EmS-No. (Fire): F-A EmS-No. (Spillage): S-F	Dangerous for the environment: Yes	Dangerous for the environment: Yes	Dangerous for the environment: Yes	
No supplementary information available					

#### 14.6. Special precautions for user

#### **Overland transport**

Classification code (ADR) : M7

Special provisions (ADR) : 274, 335, 375, 601

Limited quantities (ADR) : 5kg
Excepted quantities (ADR) : E1

Packing instructions (ADR) : P002, IBC08, LP02, R001

Special packing provisions (ADR) : PP12, B3
Mixed packing provisions (ADR) : MP10

Portable tank and bulk container instructions (ADR) : T1, BK1, BK2, BK3

Portable tank and bulk container special provisions : TP33

(ADR)

Tank code (ADR) : SGAV, LGBV

Vehicle for tank carriage : AT
Transport category (ADR) : 3
Special provisions for carriage - Packages (ADR) : V13
Special provisions for carriage - Bulk (ADR) : VC1, VC2
Special provisions for carriage - Loading, unloading : CV13

and handling (ADR)

Hazard identification number (Kemler No.) : 90

Orange plates :

90 3077

Tunnel restriction code (ADR) : -EAC code : 2Z

#### Transport by sea (IMDG)

Special provisions (IMDG) : 274, 335, 966, 967, 969 Limited quantities (IMDG) : 5 kg

Excepted quantities (IMDG) : E1
Packing instructions (IMDG) : LP02, P002
Special packing provisions (IMDG) : PP12
IBC packing instructions (IMDG) : IBC08
IBC special provisions (IMDG) : B3

Tank instructions (IMDG) : BK1, BK2, BK3, T1

Tank special provisions (IMDG) : TP33
Stowage category (IMDG) : A
Stowage and handling (IMDG) : SW23

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

## Air transport (IATA)

PCA Excepted quantities (IATA) : E1
PCA Limited quantities (IATA) : Y956
PCA limited quantity max net quantity (IATA) : 30kgG
PCA packing instructions (IATA) : 956
PCA max net quantity (IATA) : 400kg
CAO packing instructions (IATA) : 956
CAO max net quantity (IATA) : 400kg

Special provisions (IATA) : A97, A158, A179, A197, A215

ERG code (IATA) : 9L

#### **Inland waterway transport**

Classification code (ADN) : M7

Special provisions (ADN) : 274, 335, 375, 601

Limited quantities (ADN) : 5 kg
Excepted quantities (ADN) : E1
Equipment required (ADN) : PP, A
Number of blue cones/lights (ADN) : 0

#### Rail transport

Classification code (RID) : M7

Special provisions (RID) : 274, 335, 375, 601

Limited quantities (RID) : 5kg
Excepted quantities (RID) : E1

Packing instructions (RID) : P002, IBC08, LP02, R001

Special packing provisions (RID) : PP12, B3
Mixed packing provisions (RID) : MP10

Portable tank and bulk container instructions (RID) : T1, BK1, BK2, BK3

Portable tank and bulk container special provisions : TP33

(RID)

Tank codes for RID tanks (RID) : SGAV, LGBV

Transport category (RID) : 3
Special provisions for carriage – Packages (RID) : W13
Special provisions for carriage – Bulk (RID) : VC1, VC2
Special provisions for carriage - Loading, unloading : CW13, CW31

and handling (RID)

Colis express (express parcels) (RID) : CE11
Hazard identification number (RID) : 90

# 14.7. Maritime transport in bulk according to IMO instruments

Not applicable

# **SECTION 15: Regulatory information**

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

# **EU-Regulations**

#### **REACH Annex XVII (Restriction List)**

Not listed on REACH Annex XVII

#### **REACH Annex XIV (Authorisation List)**

Not listed on REACH Annex XIV (Authorisation List)

## **REACH Candidate List (SVHC)**

Not listed on the REACH Candidate List

## **PIC Regulation (Prior Informed Consent)**

Not listed on the PIC list (Regulation EU 649/2012)

## **POP Regulation (Persistent Organic Pollutants)**

Not listed on the POP list (Regulation EU 2019/1021)

05/06/2024 (Revision date) EN (English) 9/10

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

#### Ozone Regulation (1005/2009)

Not listed on the Ozone Depletion list (Regulation EU 1005/2009)

#### Dual-Use Regulation (428/2009)

Contains no substance subject to the COUNCIL REGULATION (EC) No 428/2009 of 5 May 2009 setting up a Community regime for the control of exports, transfer, brokering and transit of dual-use items.

#### **Explosives Precursors Regulation (2019/1148)**

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

#### **Drug Precursors Regulation (273/2004)**

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

#### National regulations

Listed introduction on Australian Industrial Chemicals Introduction Scheme (AICIS Inventory)

Listed on the Canadian DSL (Domestic Substances List)

Listed on the China Inventory of Existing Chemical Substances (IECSC)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

Listed on the Japanese ENCS (Existing New Chemical Substances) inventory

Listed on KECL/KECI (Korean Existing Chemicals Inventory)

Listed on NZIoC (New Zealand Inventory of Chemicals)

Listed on the Philippines Inventory of Chemicals and Chemical Substances (PICCS)

Complies the United States TSCA (Toxic Substances Control Act) inventory

#### 15.2. Chemical safety assessment

For this substance a chemical safety assessment is not required

# **SECTION 16: Other information**

Data sources : ECHA (European Chemicals Agency).
Training advice : Training staff on good practice.

Full text of H- and EUH-statements:		
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4	
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1	
Aquatic Chronic 1	Hazardous to the aquatic environment – Chronic Hazard, Category 1	
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2	
H302	Harmful if swallowed.	
H317	May cause an allergic skin reaction.	
H319	Causes serious eye irritation.	
H400	Very toxic to aquatic life.	
H410	Very toxic to aquatic life with long lasting effects.	
Skin Sens. 1B	Skin sensitisation, category 1B	

Safety Data Sheet (SDS), EU

The information contained in this Safety Data Sheet (SDS) is believed by Resin Solutions, LLC to be accurate on the date issued. However, materials may present unknown hazards and should be used with caution. Final determination of suitability and use of any material is the sole responsibility of the user. Neither Resin Solutions, LLC nor any of its subsidiaries or affiliated companies assumes any liability whatsoever for the accuracy or completeness of the information contained herein or reliance thereto. If the material is repackaged, the user is responsible and must ensure that proper health, safety and other necessary information is included with the material and/or on the container. NO WARRANTIES OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, ARE MADE REGARDING THE MATERIALS OR THE INFORMATION CONTAINED IN THIS SDS. ALTERATION OF THIS DOCUMENT IS STRICTLY PROHIBITED.